



VR

Superb new Van Staal fixed spool reel series, called Van Staal VR, featuring fully-machined 6061-T6 waterproof aluminum body, sealed and waterproof drag system, spiral-bevel drive gear and pinion, MicroClick™ drag tuning accuracy, solid stainless steel center shaft with, titanium nitride coating and it includes kit for bail-less conversion.

Code		LINE CAPACITY MONO	LINE CAPACITY BRAID	GEAR RATIO	WEIGHT	LINE RETRIEVE	Ball Bearings	RRP £
0610 125	Van Staal VR125	310 m / 0.22 mm	400 yds / 20 lbs	4.8:1	448 g	80 cm	13	443.95
0983 016	Spare Spool VR125							69.95
0610 150	Van Staal VR150	330 m / 0.25 mm	440 yds / 30 lbs	4.8:1	453 g	87 cm	13	460.95
0983 017	Spare Spool VR150		-		-			71.95
0610 175	Van Staal VR175	330 m / 0.30 mm	530 yds / 30 lbs	4.8:1	468 q	95 cm	13	476.95
0983 018	Spare Spool VR175				5			75.95
0610 200	Van Staal VR200	365 m / 0.30 mm	500 yds / 40 lbs	4.8:1	482 q	102 cm	13	493.95
0983 019	Spare Spool VR200		,		5			78.95



Van Staal spiral gears

Huge, machined stainless steel spiral-bevel gears are used in all Van Staal spin reels. Individually cut out of hardened stainless steel, their design creates tremendous gear tooth contact between the main gear and the pinion. No gear works better under load.



Van Staal Braid-Rated Clutch This extra-large anti-reverse clutch offers rock-solid hooksets and the ability to use heavy braided lines with unyielding strength.



VM 150/275

Never before has the strength and power of a Van Staal machined reel been offered in such a versatile and affordable option. The VM150 features a changeable left- or right-hand retrieve, holds 350 yards of 30-pound braided line and can handle up to 30 pounds of drag stopping power. The aluminum and stainless steel construction of the VM150 create more than enough strength to tackle big and exotic fish and the precision gears and smooth drag performance make it the perfect go-to reel from boat or from shore.

New size: At last, we can present the big brother to the VM150. The entire reel concept is designed around extreme performance data. 106 cm of line retrieval per handle turn (gear ratio 4.44 :1) makes the reel an ideal partner, even for speed-jigging. 7 ball bearings and 1 needle bearing provide incomparably smooth gears for a reel in this segment. The weight of just 837 grams is also absolutely right for an all-metal reel. In addition, the multi-stack carbon drag generates pressures of up to more than 45lb, which tends to push the angler to his limits in practice rather than the reel.

Code		Model	LINE CAPACITY MONO	LINE CAPACITY BRAID	GEAR RATIO	WEIGHT	LINE RETRIEVE	Ball Bearings	RRP £
0682 150 0983 055	Van Staal VM150 Spare Spool VM150	right/left	350 yds / 30 lb	285 yds / 12 lb	4.9:1	633 g	84 cm	6	443.95 54.95
0682 275 0983 056	Van Staal VM275 Spare Spool VM275	right/left	425 yds / 25 lb	400 yds / 80 lb	4.4:1	840 g	106 cm	8	543.95 106.95






NO LIMITATIONS



Drag knob key supplied with each VM 150 / VM 275





VAN STAAL PLIERS

No rust, no wear. Corrosion-free in the worst saltwater conditions. Van Staal pliers are built to perform and built to last. FP7000 and FP6000 pliers are titanium making each pair remarkably lightweight and extremely strong. The spring-loaded ergonomic handles and unique line-cutter with replaceable tungsten cutters and anvils are features you won't find on ordinary fishing pliers.



Quality sheaths and lanyards help you keep your Van Staal pliers secure and quickly available. CodeModel6405 002Van Staal Plier 15.0 cm, FP60006405 003Van Staal Plier 17.5 cm, FP7000Pliers include lanyard and sheath.

Construction Titanium Titanium RRP £ 328.95 328.95

Van Staal pliers feature replaceable tungsten cutters designed specifically to cut both monofilament and tough braided lines with ease. No other pliers are built this solidly, or cut this cleanly.

