



BY APPOINTMENT TO HRH  
THE PRINCE OF WALES  
MANUFACTURERS OF  
FISHING TACKLE

# HARDY

---

ALNWICK | ENGLAND

2017 PRODUCT GUIDE



# CONTENTS

## Technology

SINTRIX® Technology	4
SINTRIX®: The Success Story	5
Evolution of SINTRIX®	6
FWS, AWS and SWS	7

## Performance Rods

Wraith SINTRIX®	9
Zephyrus SINTRIX®	10
Jet SINTRIX®	16
Demon Smuggler SINTRIX®	21
Shadow	23
Sirrus Glass SINTRIX®	24
Demon Spin SINTRIX®	26

## Heritage Reels

Duchess	29
Marquis LWT	30

## Performance Reels

Fortuna XDS	33
Ultralite SDS	34
Ultralite CA DD	36
Ultralite MA DD	38
Ultralite FW DD	39
Ultralite ASR	41

## Spools

Spools	43
--------	----

## Fly Lines

Mach Multi Spey	46
Mach Mid Spey	47
Mach Trout	48
Marksman	49
Premium	49

## Leaders & Tippet

Knotless Tapered Leaders	50
--------------------------	----

## Clothing

Caps	51
------	----

## Luggage


Ahn Bag	52
Brook Bag	52
Test Bag	52
Carryall Bag	52
Compact Bag	52

## Specifications

Specifications	53
----------------	----



# SINTRIX® TECHNOLOGY: IT'S THE SMALL THINGS THAT MAKE A BIG DIFFERENCE.



Microscopic silica spheres evenly surround every individual carbon fibre filament providing a matrix of strength throughout the rod.

Never has that statement held more truth than with the development of SINTRIX® technology.

All carbon rods utilise carbon fibres that are bonded together by an adhesive resin. The resin material used in SINTRIX® is produced by 3M®, it is a unique and patented material incorporating silica nano spheres which provides two distinct benefits.

Firstly the microscopic silica spheres are able to evenly surround every individual carbon fibre filament providing a matrix of strength throughout the rod. Secondly, being spherical, the silica particles are able to resist pressure and compression from any angle. This is particularly important because it is under compression forces, on the underside of a bent rod, rather than tension forces, on the outside of the curve, that carbon fibre is most likely to weaken and potentially break. So by resisting compression better, SINTRIX® rods are stronger.

In developing SINTRIX® our specialist composite engineers and rod designers spent over two years experimenting with different types, and mixes, of carbon fibres combined with varying levels of 3M® nano silica resin. They also discovered that the normal manufacturing processes

associated with carbon fibre rods had to be significantly changed in order to get the best from the new 3M® resin material. The final results were astonishing with up to 60% increases in strength and up to 30% savings in weight.

Driven by our passion and determination to always push the boundaries—part of Hardy's DNA since 1872—we now offer varying levels of SINTRIX® technology across our rod range, each level brings significant and tangible benefits over traditional carbon fibre construction.

# SINTRIX®: THE SUCCESS STORY.

When I received the first prototype blanks rolled from SINTRIX® material in late 2009 I was shocked. I've held and flexed literally thousands of rod blanks over the years, and when I held the 9ft #10 saltwater rod, I was immediately taken aback at the lack of weight for a #10 – it just instantly felt 'right'.

Our early work on the material with our sister company Hardy Advanced Composites had indicated considerable increases in compressive strength and impact resistance where possible, but even our material engineers were not prepared for the results. Following the first day of testing, we even asked the manufacturer of our compressive strength tester to re-calibrate the machine as the results it had produced were, to quote one of our testers, "nonsense".

There was nothing wrong with the testing machine, the blanks netted out at close to 60% stronger than our calculations suggested they ought to be, and from that point on the entire team focused on the development of what became the Zenith and Proaxis series of rods and the refinement of what was to become SINTRIX® technology.

I could tell you about the testing trips to the Florida Keys fishing for sharks with medium-weight Trout rods, or the actual fist fight that took place on the dockside between two guides over a test rod, but I think some of these quotes from icons and pioneers in the sport tell the impact that SINTRIX® actually made far better than I could.

**Howard Croston, Hardy Product Manager and England International.**



My rods of choice when chasing the huge Pike of Chew Valley, pursuing Gold representing England competitively or filming saltwater fishing adventures have one

thing in common—they all feature SINTRIX® material. This revolutionary technology has changed the way I approach the diverse challenges of my lifelong passion.

**John Horsey, Hardy ProTeam Member and Professional Guide**



The ultra-lightweight and incredible strength of the Hardy SINTRIX® rods give me the superb line handling that I need to achieve absolute control of line placement and mending, while also allowing me to fight the fish aggressively and remain in perfect touch with every part of the line/leader system.

**Gary Borger, Hardy North American ProTeam Member**



It seems like a no-brainer now but the introduction of SINTRIX® was a bold step. It seemed dull, a little geeky, I was sceptical that a better resin system could be exciting, could change rods, could make better rods, but it does.

Hardy engineers and designers neatly and expertly anticipated exactly how important SINTRIX® would be for the future of their fishing rods... and, by the way, set the direction for performance rod design in general.

**Magnus Angus, Chief Reviewer Fly Fishing & Fly Tying Magazine**



SINTRIX® rods continue to be a revelation – from that first 9ft 5wt Zenith, that won our annual 5-weight shootout back in 2011, right through to today, I personally

still think the 8ft 6in Zenith is the finest 4-weight fly rod you can put your hands on.

**George Anderson, Owner of Yellowstone Angler, USA**



# THE EVOLUTION OF SINTRIX®



Up to 30% increase in compressive strength over traditional carbon fibre.

Jet



Jet Switch



Jet Double Handed



Demon Smuggler



Demon Spin



Up to 60% increase in compressive strength and up to 30% weight reduction over traditional carbon fibre.

Zephyrus FWS & AWS



Zephyrus SWS



Zephyrus Double Handed



Up to 60% increase in compressive strength and up to 30% weight reduction over traditional carbon fibre, with an increase in GPA (stiffness) of up to 15% over SINTRIX® 440.

Wraith



## SINTRIX® 330, 440 and 550

Since the breakthrough in 2009 we haven't stopped refining and developing SINTRIX® technology. Today we offer three distinct levels of performance each with their own unique benefits incorporated into our exciting 2017 product line.

# FRESHWATER, ALL WATER AND SALTWATER

## Tactical and Extreme

A number of Hardy rods within our series feature T or E designations.

T designated rods are designed with highly tactical situations in mind where a careful combination of line feel, recovery and carefully calibrated blank stiffness are required to meet specific challenges.



Rods designated with an E are typically more at the 'extreme' end of the scale where ultra-fast actions and high recovery are specifically required.

### Freshwater (FWS)

FWS or "Freshwater series" rods feature selected wood spacers, refined handle designs and carefully selected hardware offering the optimum blend of lightness and durability.



### All water (AWS)

AWS or "All water series" rods are designed to bridge the gap between light, freshwater and heavy saltwater applications, featuring saltwater safe hardware and fittings, including carbon or aluminium reel seat inserts, larger guides and more powerful actions.



### Saltwater (SWS)

SWS or "Saltwater series" rods are true hardcore saltwater rods, designed to meet the challenges of the saltwater environment head on. The rods feature heavy duty fixtures and fittings including extra large guides, heavy duty salt safe reel seats and enlarged fighting butts.




Trophy Brown Trout hugging the structure tight to a distant river bank, Rainbows smashing fry on the ripple line in a vast mountain lake, Sea Trout crashing in the void of the darkest summer nights. Adrenaline fuelled moments that require an adrenaline fuelled fly rod. Wraith with SINTRIX® 550 technology generates incredible line speed and unprecedented tip recovery for the longest of casts, yet retains a degree of line control and feel that is almost impossible to translate into words. Load one up and hold on.

CARBON FIBRE  
ADRENALINE  
FOR WHEN FAST  
JUST ISN'T  
FAST ENOUGH



# Wraith




- ☛ SINTRIX® 550 blank construction
- ☛ REC® black pearl recoil guides
- ☛ Fuji® titanium stripper guides
- ☛ Ultra-fast action blank design
- ☛ Selected hardwood and triaxial carbon spacers



- ☛ Supplied in a custom aluminium tube with engraved metal end caps

Product Code	UPC Code	Length (ft)	Length (m)	Rating	Handle	Weight (oz)	Weight (g)
<b>Freshwater (FWS)</b>							
1370992	043388255051	9'	2.74	#5	RHW	2.9	83
1370994	043388255075	9'	2.74	#6	RHW	3.0	86
1370995	043388255082	9'	2.74	#7	RHW	3.6	102
<b>All Water (AWS)</b>							
1370996	043388255099	9'	2.74	#8	FW+EH	3.7	105
1370997	043388255105	9'6	2.90	#7	FW+EH	3.9	110
1370998	043388255112	10'	3.05	#7	FW+EH	4.0	112



# Zephyrus FWS & AWS

Product Code	UPC Code	Length (ft)	Length (m)	Rating	Handle	Weight (oz)	Weight (g)
--------------	----------	-------------	------------	--------	--------	-------------	------------

**Freshwater (FWS)**

1371000	043388255136	8'	2.44	#3	RHW	2.5	71
1371001	043388255143	8'	2.44	#4	RHW	2.5	71
1371002	043388255150	8'6	2.59	#4	RHW	2.7	77
1371003	043388255167	8'6	2.59	#5	RHW	2.8	80
1371004	043388255174	9'	2.74	#3	RHW	2.7	77
1371005	043388255181	9'	2.74	#4	RHW	2.8	81
1371006	043388255198	9'	2.74	#5	RHW	2.9	83
1371008	043388255211	9'	2.74	#6	RHW	3.0	85
1371015	043388255280	10'	3.05	#3	RHW	3.0	84
1371016	043388255297	10'	3.05	#4	RHW	3.1	87
1371017	043388255303	10'	3.05	#5	RHW	3.2	90

**All Water (AWS)**

1371009	043388255228	9'	2.74	#7	FW+EH	3.5	100
1371010	043388255235	9'	2.74	#8	FW+EH	3.6	102
1371011	043388255242	9'	2.74	#9	FW+EH	4.0	113
1371012	043388255259	9'6	2.90	#6	FW+EH	3.7	105
1371013	043388255266	9'6	2.90	#7	FW+EH	3.9	111
1371018	043388255310	10'	3.05	#6	FW+EH	3.9	111
1371019	043388255327	10'	3.05	#7	FW+EH	3.9	112



- ☛ SINTRIX® 440 blank construction
- ☛ REC® black pearl recoil guides
- ☛ Fuji® titanium stripper guides
- ☛ Fast action blank design
- ☛ Selected hard wood and triaxial carbon spacers
- ☛ Supplied in a custom aluminium tube with engraved metal end caps




**RHW**

**FW+EH**



## FIRE AND FORGET FOR THE FLY ANGLER

Whether it's six feet or sixty six, when your target is to hit a moving shadow dead centre between the eyes with a weightless piece of fluff, accuracy starts to take on a whole new meaning. Zephyrus, with SINTRIX® 440 technology, combines the featherweight touch and line feel required to fool a midge feeder under the rod tip, with the power to hit a slab rainbow at full range. Thanks to advanced design, industry leading materials and, above all, a passion for creating the finest high performance fly fishing tools available, all you need do is fire and don't forget to strike.



# Zephyrus Double Handed

NEW FOR  
2017

A massively expanded and improved range of two handed fly rods with SINTRIX® 440 construction. The Zephyrus range of two handed rods are the perfect combination of strength, power and finesse covering all two handed rod applications from small freestone streams to mighty spate rivers.

- ▷ SINTRIX® 440 blank construction
- ▷ 4 section design
- ▷ Fuji stripper guides
- ▷ REC recoil intermediates
- ▷ Triaxial carbon spacer
- ▷ TPS handle design



Product Code	UPC Code	Length (ft)	Length (m)	Rating	Handle	Weight (oz)	Weight (g)
--------------	----------	-------------	------------	--------	--------	-------------	------------

#### Double Handed

1404118	043388419231	11'6	3.51	#6/7	Mod TPSF	6.6	187
1404119	043388419248	12'6	3.81	#6/7	Mod TPSF	7.5	213
1404120	043388419255	12'6	3.81	#7/8	Mod TPSF	7.3	207
1404121	043388419262	13'6	4.11	#7/8	Mod TPSF	8.1	230
1404122	043388419279	13'6	4.11	#8/9	Mod TPSF	7.7	218
1404123	043388419286	14'6	4.42	#9/10	Mod TPSF	8.9	252
1404124	043388419293	15'1	4.60	#10/11	Mod TPSF	9.2	261



SPEY, SKAGIT OR SCANDI...  
YOU BETTER GET USED  
TO SEEING THE BACKING



The salt is a world of extremes, encompassing the whole spectrum of fly rod challenges in one beautiful but harsh and unrelenting theatre; its inhabitants display all the traits of their home from the paranoid nervousness of the bonefish to the thug-like, raw power of the GT.


Whatever you chase from Permit to Pollack and every species in-between there is absolutely no room in the salt for anything other than an absolute game changer.

Zephyrus SWS with SINTRIX® 440 technology takes the multi award winning, record breaking Proaxis blank design to the next level of saltwater evolution. More feel, more power, more strength, more refinement and even more of a match for the ultimate fly rod challenge—pick one up and change your game for good.

## THE SALTWATER GAME CHANGER



# Zephyrus SWS



Product Code	UPC Code	Length (ft)	Length (m)	Rating	Handle	Weight (oz)	Weight (g)
<b>Saltwater (SWS) 4 piece</b>							
1371022	043388255358	9'	2.74	#6	FW+EH	3.6	102
1371023	043388255365	9'	2.74	#7	FW+EH	3.8	109
1371024	043388255372	9'	2.74	#8	FW+EH	4.0	114
1371025	043388255389	9'	2.74	#9	FW+EH	4.5	128
1371026	043388255396	9'	2.74	#10	FW+EH	4.6	131
1371027	043388255402	9'	2.74	#11	FW+EH	4.9	138
1371028	043388255419	9'	2.74	#12	FW+EH	5.0	142




- ▷ SINTRIX® 440 blank construction
- ▷ REC® black pearl recoil guides
- ▷ Fast action blank design
- ▷ Bar stock 6061 aluminium and triaxial carbon spacers on selected models
- ▷ Supplied in a custom aluminium tube with engraved metal end caps



# Jet

Product Code	UPC Code	Length (ft)	Length (m)	Rating	Handle	Weight (oz)	Weight (g)
<b>Single Handed</b>							
1327651	617075468231	7'	2.13	#5	RHW	2.37	67
1327652	617075468248	7'6	2.29	#3	RHW	2.44	69
1327653	617075468255	8'	2.44	#4	RHW	2.58	73
1327654	617075468262	8'	2.44	#6	RHW	2.75	78
1327655	617075468279	8'6	2.59	#4	RHW	2.72	77
1327656	617075468286	8'6	2.59	#5	RHW	2.82	80
1327657	617075468293	9'	2.74	#4	RHW	2.75	78
1327658	617075468309	9'	2.74	#5	RHW	2.86	81
1327659	617075468316	9'	2.74	#6	RHW	3.00	85
1327660	617075468323	9'6	2.90	#6	FW+EH	3.78	107
1327661	617075468330	9'6	2.90	#7	FW+EH	3.92	111
1327662	617075468347	10'	3.05	#3	RHW	3.14	89
1327664	617075468361	10'	3.05	#5	RHW	3.25	92

- ▷ User-friendly refined high performance rods with SINTRIX® durability
- ▷ SINTRIX® 330 blank construction in 4 section configuration
- ▷ Refined middle-to-tip action
- ▷ Reverse half-wells handles: Burl wood reel seat spacer with anodised aluminium thread and twin-uplock function
- ▷ Full-wells handles: Full anodised aluminium fitting with twin up-lock function
- ▷ Fuji® butt guides with hard chrome snake intermediates
- ▷ Clear 'pearl grey' blank finish with silver highlights and section line up marks
- ▷ Supplied with cloth rod bag, and a hard cloth-covered Hardy rod tube






## REFINED ALL-ROUND PERFORMANCE

The Jet series brings refined middle-to-tip actions, low in-hand weight and sharp tip recovery with a smooth and powerful feel.

Fully fitted with high quality custom components and built to exacting Hardy standards, there is a Jet series rod to cover every application from small stream Trout to Salmon and Sea Trout.

All Jet rods feature the industry leading and award winning SINTRIX® technology in our 330 configuration and were designed and developed in our advanced R&D centre in Alnwick, England.

# Jet DH and Switch



## Jet Double Handed

Featuring the Jet's refined middle-to-tip action, low in-hand weight and sharp tip recovery with a smooth and powerful feel, in a double handed model.

Fully fitted with high quality custom components and built to exacting Hardy standards and feature our award winning SINTRIX® 330 material.

- ▷ User-friendly refined high performance rods with SINTRIX® durability
- ▷ SINTRIX® 330 blank construction in 4 section configuration
- ▷ Refined middle-to-tip action
- ▷ Full anodised aluminium fitting with twin down-locking function
- ▷ Fuji® butt guides with hard chrome snake intermediates
- ▷ Clear 'pearl grey' blank finish with silver highlights and section line up marks
- ▷ Supplied with cloth rod bag, and a hard cloth-covered Hardy rod tube

## Jet Switch


High banks, tight overhangs, distant seams that require precise line control—all challenges for the 'short rod'. Enter Jet Switch, a short two-handed configuration that can be fished with both single and two-handed techniques. Super light and responsive, perfect for single-hand manipulation of fly and line during the swing but equipped with a fully functional two handed grip for Spey casting techniques. Ideal for presenting bulky flies and rigs with ease. Jet Switch brings the advantages of SINTRIX® 330 technology into the switch rod category—increased impact resistance, reduced weight and increased compressive strength.

- ▷ SINTRIX® 330 blank construction
- ▷ Fuji® guides
- ▷ Easy loading fast recovery blank design
- ▷ Bar stock 6061 aluminium reel seat





Product Code	UPC Code	Length (ft)	Length (m)	Rating	Handle	Weight (oz)	Weight (g)
<b>Double Handed</b>							
1327668	617075468408	13'	3.96	#8/9	TPSF	7.7	218
<b>Switch</b>							
1371034	043388255471	10'6	3.20	#4/5	Switch	4.7	132
1371035	043388255488	10'6	3.20	#5/6	Switch	4.6	131
1371036	043388255495	10'6	3.20	#6/7	Switch	4.8	135
1371037	043388255501	11'	3.35	#6/7	Switch	4.8	137
1371038	043388255518	11'	3.35	#7/8	Switch	5.0	142
1371039	043388255525	11'	3.35	#8/9	Switch	5.1	146



FOUR  
SECTION



SWITCH BETWEEN  
THE BEST OF  
BOTH WORLDS

LONG HAUL OR  
DOUBLE HAUL,  
DON'T  
LEAVE HOME  
WITHOUT IT.

SINTRIX® 330 technology applied to 6 section travel rods delivering unprecedented durability for the adventurous angler. The Demon Smuggler is available in a range of sizes covering many applications in a convenient travel size package. Features include American Tackle titanium stripper guides, medium fast action with high recovery and built-in reel seat hook keeper.





# Demon Smuggler



Product Code	UPC Code	Length (ft)	(m)	Rating	Handle	Weight (oz)	(g)	Rod Tube Length (cm)
<b>Single Handed</b>								
1404112	043388419170	8'	2.44	#4	RHW	2.9	82	48.7
1404113	043388419187	9'	2.74	#5	RHW	3.2	91	53.7
1404114	043388419194	9'	2.74	#6	RHW	3.3	94	53.7
1404115	043388419200	9'	2.74	#8	FWEH	3.6	102	53.7
1404116	043388419217	9'6	2.90	#7	FWEH	3.7	105	56.7
<b>Double Handed</b>								
1404117	043388419224	14'6	4.42	#10	TPSF	9.3	264	83.5

- ▷ SINTRIX® 330 blank construction in 6 section configuration
- ▷ Medium fast action with high recovery
- ▷ AmTac Ti guides
- ▷ Built-in hook keeper
- ▷ Supplied in a custom aluminium tube with engraved metal end caps



**Well travelled.** The 6 piece smuggler configuration fits neatly in the compact aluminium tube.

## PERFECT BALANCE OF POWER AND FINESSE

The Shadow® range delivers the cutting edge in traditional carbon technology in a high performance user-friendly package.

Designed and built around an advanced mandrel design to gain the optimum balance between power, finesse and durability, and with a high modulus carbon core these rods deliver high line speed and the ability to control powerful fish with delicacy and authority.



# Shadow



- ⓘ The leading edge in traditional carbon rod design
- ⓘ M40 blank construction in 4 section design
- ⓘ Middle-to-tip action, ultra smooth loading and high recovery
- ⓘ Reverse half-wells handles feature a burl wood spacer
- ⓘ Full-wells handles feature an aluminium spacer
- ⓘ High quality hardware throughout
- ⓘ Translucent olive green blank colour
- ⓘ Supplied with matching rod bag and hard fabric covered rod tube

Product Code	UPC Code	Length (ft)	Length (m)	Rating	Handle	Weight (oz)	Weight (g)
<b>Single Handed</b>							
1344434	617075479244	8'	2.44	#4	RHW	2.89	82
1344435	617075479251	8'6	2.59	#5	RHW	2.92	83
1344436	617075479268	9'	2.74	#5	RHW	3.20	91
1344437	617075479275	9'	2.74	#6	RHW	3.31	94
1344438	617075479282	9'	2.74	#8	FW+EH	3.66	104
1344439	617075479299	9'6	2.90	#6	FW+EH	3.70	105
1344440	617075479305	9'6	2.90	#7	FW+EH	3.80	108



# Sirrus Glass

NEW FOR  
2017



Sirrus Glass rods are a range of super smooth, deep loading fly rods bringing the advantages of SINTRIX® technology to a classic rod range. Perfectly suited to short range presentations on small streams and creeks, the Sirrus range also features incredible impact resistance and an ability to 'self load' at the closest distances.

- ▷ SINTRIX® resin impregnated S glass construction
- ▷ Super smooth deep loading action
- ▷ Classic styling
- ▷ High grade fittings and finish

Product Code	UPC Code	Length (ft)	Length (m)	Rating	Handle	Weight (oz)	Weight (g)
<b>Single Handed</b>							
1404125	043388419309	6'	1.83	#2/3	RHW	1.9	54
1404126	043388419316	7'	2.13	#3/4	RHW	2.4	68
1404127	043388419323	7'6"	2.29	#4/5	RHW	3.0	85
1404128	043388419330	8'	2.44	#5/6	RHW	3.2	91





RETRO.  
RE-ENGINEERED.

# Demon Spin



A range of four section spinning rods harnessing the incredible power and durability of SINTRIX® technology in a modern fast taper design.

- ▷ SINTRIX® 330 construction for improved durability
- ▷ Full alloy reel seat for long term durability
- ▷ Supplied in a hard travel tube
- ▷ Fuji Alconite guides



Product Code	UPC Code	Length (ft)	Length (m)	Casting Weight	Handle	Weight (oz)	Weight (g)
<b>Single Handed</b>							
1404106	043388419118	8'	2.44	5-15g	TPSS	5.74	163
1404107	043388419125	8'6	2.59	8-25g	TPSS	6.34	180
1404108	043388419132	9'	2.74	12-28g	TPSS	6.77	192
1404109	043388419149	10'	3.05	15-32g	TPSS	7.93	225
1404110	043388419156	10'	3.05	15-60g	TPSS	8.99	255
1404111	043388419163	11'	3.35	20-60g	TPSS	9.41	267



Demon Spin rods feature Fuji Alconite guides and section line up marks.



## A TRADITION OF EXCELLENCE

Hardy has been hand-crafting reels in Alnwick for over 120 years, a record that no other tackle manufacturer can ever hope to match. Tradition is baked into our DNA as deeply as the finish on a Perfect reel, but it can only exist in partnership with the constant quest to refine our designs. More than anything else, it is innovation that lies at the heart of the ethos that drives our engineers in a constant search to improve our tackle—without the unique chemistry that binds them and our time-served craftsmen together, a product like the modern Perfect reel could never have been developed.



# Duchess



The first new Hardy 'Heritage' reel in over a decade, hand-made in Alnwick, England by skilled craftsmen. This reel combines innovative features like split-cage frame design and dual line guards with high quality materials and classic styling.

- ⦿ Made in Alnwick, England
- ⦿ Ambidextrous regulator
- ⦿ Engineered, hand crafted and polished in bar stock aluminium finished in pearl silver
- ⦿ Split-cage frame design
- ⦿ Twin line guards

Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz) (g)	Diameter (inch) (mm)
<b>Duchess</b>						
1365572	617075479817	Duchess 2¾ inch	2/3	WF3 +38	3.1 89	2.75 70
1365573	617075479824	Duchess 3 inch	3/4	WF5 +40	3.7 104	3.00 76
1365574	617075479831	Duchess 3¼ inch	5/6	WF6 +60	4.0 113	3.25 83
1365575	617075479848	Duchess 4 inch	10/11	WF11 +270	7.6 217	4.00 102



# Marquis LWT



A re-modelled classic Hardy fly reel. The Marquis was a mainstay of the Hardy line up for many years and this new edition features numerous improvements to the original including subtle updating of the classic style with an indented regulator button, increased porting and improved regulation range.

- ⇒ Made in Alnwick, England
- ⇒ Bar stock 6061 construction
- ⇒ Improved range of adjustment
- ⇒ Modified porting to reduce weight
- ⇒ Updated yet classic styling
- ⇒ Indented regulator button

Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz)	Weight (g)	Diameter (inch)	Diameter (mm)
<b>Marquis LWT</b>								
1404247	043388420527	Marquis LWT 2/3	2/3	WF3+22	3.16	90	2.58	65
1404248	043388420534	Marquis LWT 4	4	WF4+30	3.40	96	2.79	71
1404249	043388420541	Marquis LWT 5	5	WF5+40	3.76	107	3.05	77
1404250	043388420558	Marquis LWT 6	6	WF6+45	4.32	122	3.28	83
1404251	043388420565	Marquis LWT 7	7	WF7+67	4.62	131	3.47	88
<b>Marquis LWT Salmon</b>								
1404252	043388420572	Marquis LWT Sal 1	Sal 1	WF10+170	8.11	230	3.90	99
1404253	043388420589	Marquis LWT Sal 2	Sal 2	WF11+280	9.30	264	4.15	105
1404254	043388420596	Marquis LWT Sal 3	Sal 3	WF12+400	9.90	281	4.15	105

A close-up photograph of a person's hands and arms as they fly fish. The person is wearing a dark blue jacket over a light-colored shirt with a subtle polka-dot or paisley pattern. They are holding a fly rod with a blue handle and a matching blue Hardy fly reel attached. The reel has a wooden handle and a silver-colored metal frame. The person is casting a bright orange fly line into the air. The background is dark and out of focus, suggesting an outdoor setting like a riverbank.

A RE-MODELLED  
CLASSIC HARDY  
FLY REEL

## EXTREME SITUATIONS REQUIRE AN EXTREME RESPONSE

With all the legendary strength of the original Fortuna series, the new Fortuna XDS offers the same saltwater reliability and brute strength of its predecessor in a new lightweight design.



# Fortuna XDS

NEW FOR  
2017

- ❖ Reduced weight design
- ❖ 340 degree colour coded drag control
- ❖ Captive spool release
- ❖ Class leading drag pressure up to 30lb



Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz)	Weight (g)	Diameter (inch)	Diameter (mm)
<b>Fortuna XDS</b>								
1404221	043388420268	Fortuna XDS 6000	6/7/8	WF8+200	8.6	244	4.15	105
1404222	043388420275	Fortuna XDS 8000	8/9/10	WF10+187	9.1	258	4.46	113
1404223	043388420282	Fortuna XDS 10000	10/11/12	WF12+340	12.3	349	4.77	121
1404224	043388420299	Fortuna XDS 12000	12/13/14	WF14+550	13.5	383	5.09	129

# Ultralite SDS



- ▷ The ultimate inshore and big river sealed drag fly reel
- ▷ Aerospace grade 6061 polished and anodized bar stock aluminium
- ▷ Large arbor design for rapid line recovery
- ▷ Low inertia, multi carbon, 6 side disc brake system generates a maximum 14lb of drag\*
- ▷ 5-point sealed drag system – fully saltwater safe
- ▷ Captivated, quick release spool
- ▷ Simple left to right hand conversion with supplied tool
- ▷ Supplied with neoprene pouch

Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz) (g)	Diameter (inch) (mm)
<b>Ultralite SDS</b>						
1327305	617075475512	Ultralite SDS 8000	8/9	WF9 +180 (20lb Dacron)	9.73 276	4.5 114
1327306	617075475529	Ultralite SDS 10000	10/11	WF11 +280 (30lb Dacron)	10.73 304	4.7 119
1327307	617075475536	Ultralite SDS 12000	12+	WF12 +380 (30lb Dacron)	12.29 348	5.3 135



\*14lb of drag on SDS 12000



Whether chasing Tarpon on the Florida flats or seeking out Salmon on the Tweed, the Ultralite SDS is the reel of choice for the serious trophy hunter.

Designed to withstand extremes of temperature, long periods of inactivity followed by searing drag burning runs, and the endless punishment that hunting some of the most challenging fish out there brings, the Ultralite SDS gets the job done time after time.

SEALED DRAG  
FOR THE  
ULTIMATE  
SALTWATER  
PERFORMANCE

## Ultralite CA DD

One of the sweetest sounds in fly fishing is the scream of a well-engineered reel smoothly surrendering line to a hot fish as it heads for the horizon... but when that hot fish turns tail and runs right back down the barrel at you, the ability to pick line up and stay in contact becomes paramount to success. The Ultralite CA DD reel series is designed with an ultra large, conical arbor giving incredible line pick up and reducing drag gain on the longest runs, whilst the 360 degree colour coded drag system delivers consistent drag pressure and the ability to always stay one step ahead of the twists and turns of the hottest fish.



ULTRA-SMOOTH PERFORMANCE,  
ULTRA-FAST PICKUP,  
ULTRALITE BY DESIGN.

Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz)	Weight (g)	Diameter (inch)	Diameter (mm)
<b>Ultralite CA DD Titanium</b>								
1371040	043388255532	Ultralite CA DD 3000	3/4/5	WF4 +45	4.8	135	3.54	90
1371041	043388255549	Ultralite CA DD 4000	4/5/6	WF5 +75	5.3	150	3.74	95
1371042	043388255556	Ultralite CA DD 5000	5/6/7	WF6 +80	5.5	155	3.93	100
1371043	043388255563	Ultralite CA DD 6000	6/7/8	WF7 +100	5.8	165	4.11	104
1371044	043388255570	Ultralite CA DD 7000	7/8/9	WF8 +115	6.2	175	4.29	109
1371045	043388255587	Ultralite CA DD 8000	8/9/10	WF9 +150	8.8	250	4.48	114
1371046	043388255594	Ultralite CA DD 9000	9/10/11	WF10 +150	9.9	280	4.77	121
1371047	043388255600	Ultralite CA DD 10000	10/11/12	WF10 +240	10.6	300	5.05	128
<b>Ultralite CA DD Black</b>								
1371048	043388255617	Ultralite CA DD 3000	3/4/5	WF4 +45	4.8	135	3.54	90
1371049	043388255624	Ultralite CA DD 4000	4/5/6	WF5 +75	5.3	150	3.74	95
1371050	043388255631	Ultralite CA DD 5000	5/6/7	WF6 +80	5.5	155	3.93	100
1371051	043388255648	Ultralite CA DD 6000	6/7/8	WF7 +100	5.8	165	4.11	104
1371052	043388255655	Ultralite CA DD 7000	7/8/9	WF8 +115	6.2	175	4.29	109

- ❖ Available in two versions:  
Titanium and Black
- ❖ Bar stock 6061
- ❖ Two tone anodising
- ❖ 360 degree colour coded drag
- ❖ Captive spool release
- ❖ Ultra large arbor



# Ultralite MA DD

Trophy fish the world over have one thing in common—they are considered trophies because they do not get caught every day. A weak knot, a sticky drag, not enough backing, there are a dozen things that can go wrong in the fight with the one you don't want to get away.

The Ultralite MA DD series of reels features a smooth 360 degree colour coded drag for faultless control and easy reference during the fight, and a medium arbor spool designed for anglers who like the comfort of an extra reserve of backing or the extra capacity needed to fit speciality fly line tapers for Pike, Salmon, trophy Trout or even switch style fishing—Ultralite MA DD designed to go the distance.

## CAPACITY FOR WHEN YOU NEED TO GO THE DISTANCE.

- ❖ Bar stock 6061
- ❖ Two tone anodising
- ❖ 360 degree colour coded drag
- ❖ Captive spool release
- ❖ Mid arbor design for high line capacity



Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz)	Weight (g)	Diameter (inch)	Diameter (mm)
<b>Ultralite MA DD</b>								
1371066	043388255792	Ultralite MA 3000	3/4/5	DT4 +55	5.1	145	3.3	85
1371067	043388255808	Ultralite MA 5000	5/6/7	DT6 +85	5.6	160	3.3	85
1371068	043388255815	Ultralite MA 6000	6/7/8	DT7 +140	6.0	170	3.6	92
1371069	043388255822	Ultralite MA 8000	8/9/10	DT9 +150	8.8	250	3.8	97
1371070	043388255839	Ultralite MA 10000	10/11/12	DT11 +160	10.6	300	4.2	107



**Colour coded drag**  
Smooth 360 degree colour coded drag for faultless control and easy reference

# Ultralite FW DD

NEW FOR  
2017

The Hardy Ultralite® FW DD (Featherweight Disc Drag) series sets a new standard in ultra lightweight line control. Featuring the incredible low weight of a click check reel but with the super smooth drag performance and low start up inertia of a disc drag reel.

- ▷ Minimalistic design to reduce weight
- ▷ Bar stock 6061 construction
- ▷ Stunning cosmetic design
- ▷ Reduced main shaft to eliminate weight
- ▷ Super smooth Rulon drag
- ▷ Push on / off spool design to reduce weight



Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz)	Weight (g)	Diameter (inch)	Diameter (mm)
<b>Ultralite FW DD</b>								
1404229	043388420343	Ultralite FW DD 1000	1/2/3	WF2+33	2.9	82	3.15	80
1404230	043388420350	Ultralite FW DD 2000	2/3/4	WF3+40	3.1	88	3.35	85
1404231	043388420367	Ultralite FW DD 3000	3/4/5	WF4+45	3.4	96	3.54	90
1404232	043388420374	Ultralite FW DD 4000	4/5/6	WF5+75	3.6	102	3.74	95

FLOATER TO FAST SINKER  
AT THE FLICK OF A  
SPRING LOADED SWITCH



# Ultralite ASR



The ultimate cassette system reel, the new Hardy Ultralite® ASR (Assisted Spool Release) reel features a fast, easy-to-use spool release system that actively frees the spool at the flick of a switch and automatically engages the new spool with a simple push fit. Also new to this range is a lightweight size model specifically designed for the challenges of modern river fishing.

- ❖ Bar stock 6061 main construction
- ❖ High impact composite spool
- ❖ Unique ASR spool system
- ❖ Line ID system
- ❖ Multi pad, colour-coded 340 degree disc drag
- ❖ Heavily ported lightweight design
- ❖ Full size range
- ❖ Supplied with two additional spare spools and case



Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz)	Weight (g)	Diameter (inch)	Diameter (mm)
<b>Ultralite ASR</b>								
1404237	043388420428	Ultralite ASR 4000	4/5	WF5+50	6.2	176	3.75	95
1404238	043388420435	Ultralite ASR 5000	5/6	WF6+50	6.6	187	4.06	103
1404239	043388420442	Ultralite ASR 6000	6/7	WF7+65	6.8	193	4.18	106
1404240	043388420459	Ultralite ASR 7000	7/8	WF8+100	7.2	204	4.30	109
1404241	043388420466	Ultralite ASR 9000	9/10/11	WF12+150	8.8	249	4.84	123



**Fly line ID system**  
Permanent/reusable line identification system



**Assisted Spool Release (ASR)**  
Spool is ejected at the flick of a switch.



## Spare Spools

Product Code	UPC Code	Model
<b>Duchess</b>		
1365576	617075479855	Duchess 2½ inch
1365577	617075479862	Duchess 3 inch
1365578	617075479879	Duchess 3¼ inch
1365579	617075479886	Duchess 4 inch
<b>Marquis LWT</b>		
1404255	043388420602	Marquis LWT 2/3
1404256	043388420619	Marquis LWT 4
1404257	043388420626	Marquis LWT 5
1404258	043388420633	Marquis LWT 6
1404259	043388420640	Marquis LWT 7
1404260	043388420657	Marquis LWT Sal 1
1404261	043388420664	Marquis LWT Sal 2
1404262	043388420671	Marquis LWT Sal 3
<b>Fortuna XDS</b>		
1404225	043388420305	Fortuna XDS 6000
1404226	043388420312	Fortuna XDS 8000
1404227	043388420329	Fortuna XDS 10000
1404228	043388420336	Fortuna XDS 12000
<b>Ultralite SDS</b>		
1327968	617075475543	Ultralite SDS 8000
1327969	617075475550	Ultralite SDS 10000
1327970	617075475567	Ultralite SDS 12000
<b>Ultralite CA DD</b>		
1371053	043388255662	Ultralite CA DD 3000
1371054	043388255679	Ultralite CA DD 4000
1371055	043388255686	Ultralite CA DD 5000
1371056	043388255693	Ultralite CA DD 6000
1371057	043388255709	Ultralite CA DD 7000
1371058	043388255716	Ultralite CA DD 8000
1371059	043388255723	Ultralite CA DD 9000
1371060	043388255730	Ultralite CA DD 10000

Product Code	UPC Code	Model
<b>Ultralite CA DD Black</b>		
1371061	043388255747	Ultralite CA DD 3000 Black
1371062	043388255754	Ultralite CA DD 4000 Black
1371063	043388255761	Ultralite CA DD 5000 Black
1371064	043388255778	Ultralite CA DD 6000 Black
1371065	043388255785	Ultralite CA DD 7000 Black
<b>Ultralite MA DD</b>		
1371071	043388255846	Ultralite MA DD 3000
1371072	043388255853	Ultralite MA DD 5000
1371073	043388255860	Ultralite MA DD 6000
1371074	043388255877	Ultralite MA DD 8000
1371075	043388255884	Ultralite MA DD 10000
<b>Ultralite FW DD</b>		
1404233	043388420381	Ultralite FW DD 1000
1404234	043388420398	Ultralite FW DD 2000
1404235	043388420404	Ultralite FW DD 3000
1404236	043388420411	Ultralite FW DD 4000
<b>Ultralite ASR</b>		
1404242	043388420473	Ultralite ASR 4000
1404243	043388420480	Ultralite ASR 5000
1404244	043388420497	Ultralite ASR 6000
1404245	043388420503	Ultralite ASR 7000
1404246	043388420510	Ultralite ASR 9000







# Mach Multi Spey

Spey line kit supplied with 3 interchangeable tips: floating, intermediate and sinking (wet 2). The ideal solution for Salmon anglers fishing at different depths. The short dynamic nature of this fly line leads to an ease of casting, as well as efficient presentation of flies, both large and small, even in the most trying conditions. Tick all the boxes with one line.

- ⦿ Super strong welded loops on both body and tips
- ⦿ Designed by Ian Gordon to match the latest Hardy Salmon rods
- ⦿ Line identification marker welded into main body and tips – never mix your lines or tips up again
- ⦿ Body designed to handle longer/heavier aftermarket tips and additional polyleaders if required
- ⦿ Advanced taper gives effortless high performance casting on a range of rod actions
- ⦿ Seamless transition from low diameter running line to aggressive rear taper for increased line shoot whilst maintaining in flight stability
- ⦿ Supplied with 3 interchangeable tips in tips wallet (floating; intermediate; wet 2)
- ⦿ Running line diameter 0.043"




Product Code	UPC Code	ATFM	Working Head Length (ft)	Working Head Weight (g)	Total Length (ft)	Rear Taper Length (ft)	Belly Length (ft)	Tip Length (ft)
<b>Mach Multi Spey Kit</b>								
1327334	617075469740	#7/8	38	32	120	2	23	13
1327335	617075469757	#8/9	42	35	120	2	27	13
1327336	617075469764	#9/10	46	43	120	2	29	15
1327337	617075469771	#10/11	50	48	120	2	33	15

Lengths and weights of Working Head include tip

# Mach Mid Spey

These Salmon lines have been designed for the angler who likes the long range mending and line control that only a full fly line design can deliver. With individual line size head lengths and tapers these lines are an awesome high performance casting line that does not require perfect technique to generate outstanding results. The Mach Spey series of lines have an advanced head design that delivers both high performance results and ease of casting to anglers of all abilities who prefer a full line design. Featuring a refined taper so that polyleaders can also be added with no reduction in performance.

- ▷ Refined taper so that polyleaders can be added with no reduction in performance
- ▷ Designed by Ian Gordon to match the latest Hardy Salmon rods
- ▷ Weight forward taper
- ▷ Each line features a specific head length and modified profile to achieve maximum efficiency
- ▷ Head lengths from 48' to 60' depending on size
- ▷ Vivid colour change helps visually judge optimum loading point at the rod tip
- ▷ Supple yet stable surface coating with a supple core ensures easy handling and low



Product Code	UPC Code	ATFM	Working Head Length (ft)	Working Head Weight (g)	Total Length (ft)	Rear Taper Length (ft)	Belly Length (ft)	Tip Length (ft)
<b>Mach Spey Floating</b>								
1327338	617075469573	#7/8	48	35	120	9	12	27
1327339	617075469580	#8/9	52	40	120	10	14	28
1327340	617075469597	#9/10	55	45	120	10	15	30
1327341	617075469603	#10/11	58	48	120	10	16	32
1327342	617075469610	#11/12	60	51	120	10	17	33

# Mach Trout

## Mach Trout


The Mach Series Trout lines feature a heavily-engineered compound taper that offers distance, control and presentation from both short to maximum ranges. The lines are built on a low-memory supple core with a durable, liquid slick, PVC impregnated coating. They also feature welded tip loops. And, of course, they are AFTM size specific to meet the needs of the most demanding single handed anglers.

## Marksman

Designed specifically to meet the demands of modern angling on both still and running waters. Supplied with high quality braided loops and totally AFTM compliant. We love the soft, subtle, braided core to the lines that means line memory is a thing of the past.

## Premium

A straight forward, no nonsense range to meet virtually all fly fishing challenges. These lines are durable, long casting and offer easy control. They have next to no memory and give you the near-perfect presentation you need.



Product Code	UPC Code	AFTM	Tip (inch)	Front Taper (ft)	Belly 1 (ft)	Belly 2 (ft)	Rear Taper (ft)	Running Line (ft)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
<b>Mach Trout Weight Forward Floating (Ice Blue / Sunrise)</b>											
1327403	617075421007	WF-5	6	8	15	12	11	59	-	46	105
1327404	617075421014	WF-6	6	9	15	12	12	57	-	48	105
1327405	617075421021	WF-7	6	10	15	12	13	55	-	50	105
1327406	617075421038	WF-8	6	11	15	12	14	53	-	52	105
<b>Mach Trout Weight Forward Clear Intermediate (Clear)</b>											
1327408	617075421052	WF-6	6	9	19	16	12	49	1.25-1.75	48	105
1327409	617075421069	WF-7	6	10	19	16	13	47	1.25-1.75	50	105
1327410	617075421076	WF-8	6	11	19	16	14	45	1.25-1.75	52	105

# Marksman



Product Code	UPC Code	ATFM	Tip (inch)	Front Taper (ft)	Belly (ft)	Rear Taper (ft)	Running Line (ft)	Sink Rate (IPS)	Head (ft)	Total Length (ft)	T-Code	RRP (£)
<b>Marksman Fly Line Weight Forward Floating (Buckskin)</b>												
1327430	617075421250	WF-4-F	6	6.0	27	5.0	58	-	38	96	D2500	49.99
1327432	617075421267	WF-5-F	6	6.5	28	5.5	56	-	40	96	D2500	49.99
1327434	617075421274	WF-6-F	6	7.0	29	6.0	54	-	42	96	D2500	49.99
1327436	617075421281	WF-7-F	6	7.5	30	6.5	52	-	44	96	D2500	49.99
1327438	617075421298	WF-8-F	6	8.0	31	7.0	50	-	46	96	D2500	49.99

# Premium



Product Code	UPC Code	ATFM	Tip (inch)	Taper (ft)	Belly (ft)	Sink Rate (IPS)	Head (ft)	Total Length (ft)
--------------	----------	------	------------	------------	------------	-----------------	-----------	-------------------

## Premium Fly Line Double Taper Floating (Olive)

1327507	617075422059	DT-2-F	6	3.0	84	-	90	91
1327508	617075422066	DT-3-F	6	3.5	83	-	90	91
1327509	617075422073	DT-4-F	6	4.0	82	-	90	91
1327510	617075422080	DT-5-F	6	4.5	81	-	90	91
1327511	617075422097	DT-6-F	6	5.0	80	-	90	91
1327512	617075422103	DT-7-F	6	5.5	79	-	90	91

## Premium Fly Line Weight Forward Floating (Ice Blue)

1327515	617075422134	WF-3-F	6	3.5	25.75	33	58	90
1327516	617075422141	WF-4-F	6	4.0	25	36	58	90
1327517	617075422158	WF-5-F	6	4.5	28.25	39	54	90
1327518	617075422165	WF-6-F	6	5.0	27.5	42	54	90
1327519	617075422172	WF-7-F	6	5.5	26.75	45	54	90
1327520	617075422189	WF-8-F	6	6.0	28	48	52	90





# Knotless Tapered Leaders & Braided Loops

## Knotless Tapered Leaders

Finely tuned tapers for perfect turnover and presentation under the most taxing conditions – stiff in the butt with the most delicate of forward sections. Manufactured using the very finest copolymer material.



PACK OF 3

Product Code	UPC Code	Rating	Diameter (in)	Breaking Strain (lb)
--------------	----------	--------	---------------	----------------------

### Knotless Tapered Leaders 9' / 2.74m

1328004	617075449254	3X	0.008	6.0
1328005	617075449261	4X	0.007	5.0
1328006	617075449278	5X	0.006	4.0
1328007	617075449285	6X	0.005	3.0

### Knotless Tapered Leaders 12' / 3.66m

1328008	617075449292	3X	0.008	6.0
1328009	617075449308	4X	0.007	5.0
1328010	617075449315	5X	0.006	4.0
1328011	617075449322	6X	0.005	3.0

# Caps



Logo Classic Hat  
Pumpkin/Olive



Logo Classic Hat  
Olive/Gold



Logo Trucker Hat  
Khaki/Black

Product Code	UPC Code	Model	Colour
<b>Caps</b>			
1371691	043388325372	Logo Classic Hat	Pumpkin/Olive
1371693	043388325389	Logo Classic Hat	Olive/Gold
1371697	043388325426	Logo Trucker Hat	Khaki/Black

# Classic Bags

Classic styled canvas fishing bags, with leather trim.  
Use on the bank or as an everyday travel accessory.

- ❖ Range of internal and external compartments, pockets and partitions
- ❖ Strong adjustable carry strap
- ❖ Aln and Test feature detachable waterproof lining

Product Code	UPC Code	Model	Dimensions (cm)	Dimensions (inch)
<b>Classic Bags</b>				
1327081	617075998202	Aln Bag	36 x 28	14 x 11
1327078	617075998172	Brook Bag	30 x 28	12 x 11
1327077	617075998165	Test Bag	38 x 30	15 x 12
1327079	617075998189	Carryall Bag	46 x 38	18 x 15
1327080	617075998196	Compact Bag	43 x 28	17 x 11



Aln Bag



Brook Bag



Test Bag



Carryall Bag



Compact Bag

Material Number	Scannable UPC	UPC	Model Number	Rod Action	Rod Length (ft)	Line Weight (oz)	Rod Pieces
<b>Wraith</b>							
1370992		043388255051	HROWRA905F	Fast	9'	#5	4
1370994		043388255075	HROWRA906F	Fast	9'	#6	4
1370995		043388255082	HROWRA907A	Fast	9'	#7	4
1370996		043388255099	HROWRA908A	Fast	9'	#8	4
1370997		043388255105	HROWRA967A	Fast	9'6	#7	4
1370998		043388255112	HROWRA107A	Fast	10'	#7	4
<b>Zephyrus FWS</b>							
1371000		043388255136	HROZEP803F	Fast	8'	#3	4
1371001		043388255143	HROZEP804F	Fast	8'	#4	4
1371002		043388255150	HROZEP864F	Fast	8'6	#4	4
1371003		043388255167	HROZEP865F	Fast	8'6	#5	4
1371004		043388255174	HROZEP903F	Fast	9'	#3	4
1371005		043388255181	HROZEP904F	Fast	9'	#4	4
1371006		043388255198	HROZEP905F	Fast	9'	#5	4
1371008		043388255211	HROZEP906F	Fast	9'	#6	4
1371015		043388255280	HROZEP103F	Fast	10'	#3	4
1371016		043388255297	HROZEP104F	Fast	10'	#4	4
1371017		043388255303	HROZEP105F	Fast	10'	#5	4
<b>Zephyrus AWS</b>							
1371009		043388255228	HROZEP907A	Fast	9'	#7	4
1371010		043388255235	HROZEP908A	Fast	9'	#8	4
1371011		043388255242	HROZEP909A	Fast	9'	#9	4
1371012		043388255259	HROZEP966A	Fast	9'6	#6	4
1371013		043388255266	HROZEP967A	Fast	9'6	#7	4
1371018		043388255310	HROZEP106A	Fast	10'	#6	4
1371019		043388255327	HROZEP107A	Fast	10'	#7	4
<b>Zephyrus SWS</b>							
1371022		043388255358	HROZEP906S	Fast	9'	#6	4
1371023		043388255365	HROZEP907S	Fast	9'	#7	4
1371024		043388255372	HROZEP908S	Fast	9'	#8	4
1371025		043388255389	HROZEP909S	Fast	9'	#9	4
1371026		043388255396	HROZEP910S	Fast	9'	#10	4
1371027		043388255402	HROZEP911S	Fast	9'	#11	4
1371028		043388255419	HROZEP912S	Fast	9'	#12	4
1371024		043388255426	HROZEP8108S	Fast	8'10	#8	1
1371025		043388255433	HROZEP8109S	Fast	8'10	#9	1
1371026		043388255440	HROZEP81010S	Fast	8'10	#10	1
1371027		043388255457	HROZEP81011S	Fast	8'10	#11	1
1371028		043388255464	HROZEP81012S	Fast	8'10	#12	1

Material Number	Scannable UPC	UPC	Model Number	Rod Action	Rod Length (ft)	Line Weight (oz)	Rod Pieces
<b>Zephyrus DH</b>							
1404118		043388419231	HRZEP11667A	Fast	11'6	#6/7	4
1404119		043388419248	HRZEP12667A	Fast	12'6	#6/7	4
1404120		043388419255	HRZEP12678A	Fast	12'6	#7/8	4
1404121		043388419262	HRZEP13678A	Fast	13'6	#7/8	4
1404122		043388419279	HRZEP13689A	Fast	13'6	#8/9	4
1404123		043388419286	HRZEP146910A	Fast	14'6	#9/10	4
1404124		043388419293	HRZEP1511011A	Fast	15'1	#10/11	4
<b>Jet</b>							
1327651		617075468231	HRJE010	Middle to tip	7'	#5	4
1327652		617075468248	HRJE020	Middle to tip	7'6	#3	4
1327653		617075468255	HRJE030	Middle to tip	8'	#4	4
1327654		617075468262	HRJE040	Middle to tip	8'	#6	4
1327655		617075468279	HRJE050	Middle to tip	8'6	#4	4
1327656		617075468286	HRJE060	Middle to tip	8'6	#5	4
1327657		617075468293	HRJE070	Middle to tip	9'	#4	4
1327658		617075468309	HRJE080	Middle to tip	9'	#5	4
1327659		617075468316	HRJE090	Middle to tip	9'	#6	4
1327660		617075468323	HRJE100	Middle to tip	9'6	#6	4
1327661		617075468330	HRJE110	Middle to tip	9'6	#7	4
1327662		617075468347	HRJE120	Middle to tip	10'	#3	4
1327664		617075468361	HRJE140	Middle to tip	10'	#5	4
<b>Jet DH</b>							
1327668		617075468408	HRJE180	Middle to tip	13'	#8/9	4
<b>Jet Switch</b>							
1371034		043388255471	HRJE010	Middle to tip	10'6	#4/5	4
1371035		043388255488	HRJE020	Middle to tip	10'6	#5/6	4
1371036		043388255495	HRJE030	Middle to tip	10'6	#6/7	4
1371037		043388255501	HRJE040	Middle to tip	11'	#6/7	4
1371038		043388255518	HRJE050	Middle to tip	11'	#7/8	4
1371039		043388255525	HRJE060	Middle to tip	11'	#8/9	4
<b>Demon Smuggler</b>							
1404112		043388419170	HRODESM804A	Medium Fast	8'	#4	6
1404113		043388419187	HRODESM905A	Medium Fast	8'	#5	6
1404114		043388419194	HRODESM906A	Medium Fast	9'	#6	6
1404115		043388419200	HRODESM908A	Medium Fast	9'	#8	6
1404116		043388419217	HRODESM967A	Medium Fast	9'6	#7	6
1404117		043388419224	HRODESM14610A	Medium Fast	14'6	#10	6

Material Number	Scannable UPC	UPC	Model Number	Rod Action	Rod Length (ft)	Line Weight (oz)	Rod Pieces	
<b>Shadow</b>								
1344434		617075479244	HRSH010	Middle to tip	8'	#4	4	
1344435		617075479251	HRSH020	Middle to tip	8'6	#5	4	
1344436		617075479268	HRSH030	Middle to tip	9'	#5	4	
1344437		617075479275	HRSH040	Middle to tip	9'	#6	4	
1344438		617075479282	HRSH050	Middle to tip	9'	#8	4	
1344439		617075479299	HRSH060	Middle to tip	9'6	#6	4	
1344440		617075479305	HRSH070	Middle to tip	9'6	#7	4	
<b>Sirrus Glass</b>								
1404125		043388419309	HROSIR602F	Progressive	6'	#2/3	3	
1404126		043388419316	HROSIR703F	Progressive	7'	#3/4	3	
1404127		043388419323	HROSIR764F	Progressive	7'6	#4/5	3	
1404128		043388419330	HROSIR805F	Progressive	8'	#5/6	3	
<b>Fortuna XDS</b>								
1404221		043388420268	HREXDST010	WF8 +201	6/7/8	DD	4.15	8.60
1404222		043388420275	HREXDST020	WF10 +187	8/9/10	DD	4.46	9.10
1404223		043388420282	HREXDST030	WF12 +274	10/11/12	DD	4.77	12.30
1404224		043388420299	HREXDST040	WF14 +557	12/13/14	DD	5.09	13.50
<b>Ultralite SDS</b>								
1327305		617075475512	HESD010	WF9 +180	8/9	S-DD	4.50	9.73
1327306		617075475529	HESD020	WF11 +280	10/11	S-DD	4.70	10.73
1327307		617075475536	HESD030	WF12 +380	12+	S-DD	5.30	12.29
<b>Ultralite CA DD Titanium</b>								
1371040		043388255532	HRECADT010	WF4 +45	3/4/5	DD	3.54	4.60
1371041		043388255549	HRECADT020	WF5 +75	4/5/6	DD	3.74	4.83
1371042		043388255556	HRECADT030	WF6 +80	5/6/7	DD	3.93	5.18
1371043		043388255563	HRECADT040	WF7 +100	6/7/8	DD	4.11	5.29
1371044		043388255570	HRECADT050	WF8 +115	7/8/9	DD	4.29	5.43
1371045		043388255587	HRECADT060	WF9 +150	8/9/10	DD	4.48	8.74
1371046		043388255594	HRECADT070	WF9 +190	9/10/11	DD	4.77	9.10
1371047		043388255600	HRECADT080	WF10 +240	10/11/12	DD	5.05	9.70
<b>Ultralite CA DD Black</b>								
1371048		043388255617	HRECADB010	WF4 +45	3/4/5	DD	3.54	4.60
1371049		043388255624	HRECADB020	WF5 +75	4/5/6	DD	3.74	4.83
1371050		043388255631	HRECADB030	WF6 +80	5/6/7	DD	3.93	5.18
1371051		043388255648	HRECADB040	WF7 +100	6/7/8	DD	4.11	5.29
1371052		043388255655	HRECADB050	WF8 +115	7/8/9	DD	4.29	5.43
<b>Ultralite MA DD</b>								
1371066		043388255792	HREMADT010	WF4+45	3/4/5	DD	3.54	4.60
1371067		043388255808	HREMADT030	WF5+75	5/6/7	DD	3.74	4.83
1371068		043388255815	HREMADT040	WF6+80	6/7/8	DD	3.93	5.18
1371069		043388255822	HREMADT060	WF7+100	8/9/10	DD	4.11	5.29
1371070		043388255839	HREMADT080	WF8+115	10/11/12	DD	4.29	5.43

Material Number	Scannable UPC	UPC	Model Number	Capacity (yds)	Reel Size	Drag	Diameter (inches)	Weight (oz)
<b>Ultralite FWDD</b>								
1404229		043388420343	HREFWDT010	WF2+33	1/2/3	DD	3.15	2.9
1404230		043388420350	HREFWDT020	WF3+40	2/3/4	DD	3.35	3.1
1404231		043388420367	HREFWDT030	WF4+45	3/4/5	DD	3.54	3.4
1404232		043388420374	HREFWDT040	WF5+75	4/5/6	DD	3.74	3.6
<b>Ultralite ASR</b>								
1404237		043388420428	HREASRT010	WF5+60	4/5	DD	3.75	6.2
1404238		043388420435	HREASRT020	WF6+50	5/6	DD	4.06	6.6
1404239		043388420442	HREASRT030	WF7+65	6/7	DD	4.18	6.8
1404240		043388420459	HREASRT040	WF8+100	7/8	DD	4.30	7.2
1404241		043388420466	HREASRT050	WF12+150	9/10/11	DD	4.84	8.8
<b>Duchess</b>								
1365572		617075479817	HREDUCG010	WF3+38	2/3	CC	2.75	3.20
1365573		617075479824	HREDUCG020	WF5+40	3/4	CC	3.00	3.60
1365574		617075479831	HREDUCG030	WF6+60	5/6	CC	3.25	4.10
1365575		617075479848	HREDUCG040	WF11+270	10/11	CC	4.00	4.70
<b>Marquis LWT</b>								
1404247		043388420527	HREMARG010	WF3+22	2/3	CC	2.58	3.2
1404248		043388420534	HREMARG020	WF4+30	4	CC	2.79	3.4
1404249		043388420541	HREMARG030	WF5+40	5	CC	3.05	3.8
1404250		043388420558	HREMARG040	WF6+45	6	CC	3.28	4.3
1404251		043388420565	HREMARG050	WF7+67	7	CC	3.47	4.6
1404252		043388420572	HREMARG060	WF10+170	SAL 1	CC	3.90	8.1
1404253		043388420589	HREMARG070	WF11+280	SAL 2	CC	4.15	9.3
1404254		043388420596	HREMARG080	WF12+400	SAL 3	CC	4.15	9.9

Material Number	Scannable UPC	UPC	Model Number	Model Name	Colour
<b>Caps</b>					
1371691		043388325372	HCLOC010	Logo Classic Hat	Pumpkin/Olive
1371693		043388325389	HCLOC020	Logo Classic Hat	Olive/Gold
1371697		043388325426	HCLOT010	Logo Trucker Hat	Khaki/Black

**Key**  
 DD Disc Drag      CC Click Check  
 S-DD Sealed Disc Drag



2017 HARDY CATALOGUE 1425080



0 43388 43549 1

Copyright © Hardy & Greys Limited 2016 All rights reserved. The Hardy name, logo, products and promotional materials are protected by various registered and unregistered intellectual property rights including patents, patent applications, registered designs, trademarks, unregistered design rights and copyright. Hardy®, SINTRIX®, Zephyrus™, Proaxis®, Jet™, Hardy Shadow®, Fortuna®, Ultralite™, LRH Lightweight®, Marquis® and Perfect® are trademarks of Hardy & Greys Limited.

**HARDY**  
ALNWICK | ENGLAND



BY APPOINTMENT TO HRH  
THE PRINCE OF WALES  
MANUFACTURERS OF  
FISHING TACKLE

Pure Fishing, Willowburn, Alnwick, Northumberland, NE66 2PF, England.  
Tel: +44 (0)1665 602771 [www.hardyfishing.com](http://www.hardyfishing.com)

Hardy, a brand from Pure Fishing Inc. – a subsidiary of Newell brands Inc. 

SAP : 1425080